

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	11774	((sync or synchroniz\$4) near3 (point or mark or index))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/11 11:06
S2	82	((sync or synchroniz\$4) near3 (point or mark or index)) and "725"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/11 11:06
S3	1	((((sync or synchroniz\$4) near3 (point or mark or index)) same (comment \$3)) and "725"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/11 11:07
S4	1	((((sync or synchroniz\$4) with (point or mark or index)) same (comment \$3)) and "725"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/11 11:07
S5	1	((((sync or synchroniz\$4) adj (point or mark or index)) same (comment \$3)) and "725"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/11 11:07
S6	5	((((sync or synchroniz\$4) adj (point or mark or index))) and "725"/\$.ccls. and @ad<"20010131"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/11 11:09
S7	0	((((sync or synchroniz\$4) adj (point or mark or index))) and "725"/32-36. ccls. and @ad<"20010131"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/11 11:09
S8	3	((((sync or synchroniz\$4) near3 (point or mark or index))) and "725"/32-36. ccls. and @ad<"20010131"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/11 12:09
S9	0	((((sync or synchroniz\$4) near3 (point or mark or index)) same offset\$4) and "725"/32-36.ccls. and @ad<"20010131"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/11 11:09

S10	41	(threshold) and "725"/32-36.ccls. and @ad<"20010131"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/11 13:42
S11	16	(threshold with (time or minute or hour or second)) and "725"/32-36.ccls. and @ad<"20010131"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/11 12:11
S12	0	(threshold with reset\$3) and "725"/32-36.ccls. and @ad<"20010131"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/11 13:10
S13	0	(threshold with insert\$3 with (commercial or ad or advertisement)) and "725"/32-36.ccls. and @ad<"20010131"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/11 12:14
S14	6	(threshold with (commercial or ad or advertisement)) and "725"/32-36.ccls. and @ad<"20010131"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/11 12:15
S15	25	(threshold with (commercial or ad or advertisement)) and "725"/\$.ccls. and @ad<"20010131"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/11 12:15
S16	19	S15 not S14	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/11 12:15
S17	8	(threshold with greater) and "725"/32-36.ccls. and @ad<"20010131"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/11 13:22
S18	33	(threshold with greater with time) and "725"/\$.ccls. and @ad<"20010131"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/11 13:13
S19	2	(threshold with greater with time with (commercial or ad or advertisement)) and "725"/\$.ccls. and @ad<"20010131"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/11 13:18

S20	2	(threshold with greater with (time or timing or duration) with (commercial or ad or advertisement)) and "725"/\$.ccls. and @ad<"20010131"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/11 13:19
S21	5	(threshold with (time or timing or duration) with (commercial or ad or advertisement)) and "725"/\$.ccls. and @ad<"20010131"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/11 13:26
S22	3	S21 not S20	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/11 13:19
S23	12	(time with greater with (commercial or ad or advertisement)) and "725"/\$.ccls. and @ad<"20010131"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/11 13:20
S24	37	((time or duration or timing) with greater) and "725"/32-36.ccls. and @ad<"20010131"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/11 13:22
S25	35	((time) with greater) and "725"/32-36.ccls. and @ad<"20010131"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/11 13:23
S26	1	((time adj duration) with greater) and "725"/32-36.ccls. and @ad<"20010131"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/11 13:23
S27	1	((time near1 duration) with greater) and "725"/32-36.ccls. and @ad<"20010131"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/11 13:23
S28	2	((time) with greater with (commercial or ad or advertisement)) and "725"/32-36.ccls. and @ad<"20010131"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/11 13:24
S29	18	((time adj duration) with (commercial or ad or advertisement)) and "725"/\$.ccls. and @ad<"20010131"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/11 13:28

S30	2	(threshold with (time adj duration) with (commercial or ad or advertisement)) and @ad<"20010131"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/11 13:29
S31	10	(threshold with (duration) with (commercial or ad or advertisement)) and @ad<"20010131"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/11 13:40
S32	99	(threshold with (time) with (commercial or ad or advertisement)) and @ad<"20010131"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/11 13:41
S33	3	(threshold with (time) with (play\$3 or insert\$3 or render\$3) with (commercial or ad or advertisement)) and @ad<"20010131"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/11 13:41
S34	13	(time near3 limit) and "725"/32-36.ccls. and @ad<"20010131"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/11 13:42
S35	94	"725"/\$.ccls. and (search \$3 with occurrence)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/16 13:57
S36	36	"725"/\$.ccls. and (search \$3 with occurrence) and @ad<"20010131"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/16 13:58
S37	1134	"725"/\$.ccls. and ((epg or ipg or (program\$4 adj guide))search\$3 with occurrence) and @ad<"20010131"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/16 13:58
S38	6	"725"/\$.ccls. and ((epg or ipg or (program\$4 adj guide)) with search\$3 with occurrence) and @ad<"20010131"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/16 14:19
S39	154	"725"/\$.ccls. and ((portion or section or scene or chapter) with search\$3) and @ad<"20010131"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/16 14:21

S40	5	"725"/\$.ccls. and ((portion or section or scene or chapter) with search\$3 with recording) and @ad<"20010131"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/16 14:20
S41	108	"725"/\$.ccls. and ((portion or scene or chapter) with search\$3) and @ad<"20010131"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/16 14:21
S42	107	"725"/\$.ccls. and ((portion or scene) with search\$3) and @ad<"20010131"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/16 14:22
S43	1	"725"/\$.ccls. and ((portion or scene) with search\$3 with recording) and @ad<"20010131"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/16 14:22
S44	3	"725"/\$.ccls. and ((portion or scene) with search\$3 with (epg or ipg or (program\$4 adj guide))) and @ad<"20010131"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/16 14:27
S45	2	"725"/\$.ccls. and (live near\$3 comment) and @ad<"20010131"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/16 14:32
S46	0	"725"/\$.ccls. and (dvd with insert\$3 with (ad or advertisement or commercial)) and @ad<"20010131"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/16 14:33
S47	4	"725"/\$.ccls. and (optical with insert\$3 with (ad or advertisement or commercial)) and @ad<"20010131"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/16 14:34
S48	2	"725"/\$.ccls. and (storage with internet with insert\$3 with (ad or advertisement or commercial)) and @ad<"20010131"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/16 14:35
S49	4	"725"/\$.ccls. and abecassis. in. and @ad<"20010131"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/16 14:52

S50	6	"725"/\$.ccls. and (inserting with (ad or advertisement or commercial) with recorded) and @ad<"20010131"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/16 14:54
S51	0	"725"/\$.ccls. and (internet with inserting with (ad or advertisement or commercial) with recorded) and @ad<"20010131"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/16 14:55
S52	0	(internet with inserting with (ad or advertisement or commercial) with recorded) and @ad<"20010131"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/16 14:54
S53	1	"725"/\$.ccls. and (internet with insert\$3 with (ad or advertisement or commercial) with record \$3) and @ad<"20010131"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/16 15:16
S54	0	"725"/\$.ccls. and ((title adj screen) with insert\$3 with frame) and @ad<"20010131"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/16 15:17
S55	2	"725"/\$.ccls. and ((title adj screen) with insert\$3) and @ad<"20010131"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/16 15:19
S56	1	"725"/32-36.ccls. and ((title adj screen)) and @ad<"20010131"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/16 15:30
S57	0	"725"/\$.ccls. and ((title adj screen) with (sync or synchroniz\$4)) and @ad<"20010131"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/16 15:20
S58	0	"725"/\$.ccls. and ((title adj screen) with (sync\$3 or synchroniz\$4)) and @ad<"20010131"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/16 15:24
S59	1	((title adj screen) with (sync\$3 or synchroniz\$4)) and @ad<"20010131"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/16 15:23

S60	2	((start or welcome) adj screen) with (sync\$3 or synchroniz\$4)) and @ad<"20010131"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/16 15:23
S61	0	"725"/32-36.ccls. and ((welcome adj screen)) and @ad<"20010131"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/16 15:24
S62	0	"725"/32-36.ccls. and ((splash adj screen)) and @ad<"20010131"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/16 15:24
S63	15	"725"/\$.ccls. and ((title with (sync\$3 or synchroniz\$4)) and @ad<"20010131"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/16 15:24
S64	91	"725"/32-36.ccls. and ((title)) and @ad<"20010131"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/16 15:30
S65	17	"725"/32-36.ccls. and ((title near3 movie)) and @ad<"20010131"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/16 15:31
S66	0	"725"/32-36.ccls. and ((title near3 movie) with (ad or advertisement or commercial)) and @ad<"20010131"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/16 15:31
S67	2	"725"/32-36.ccls. and ((title near3 movie) same (ad or advertisement or commercial)) and @ad<"20010131"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/16 15:41
S68	23	"725"/32-36.ccls. and (vod) and @ad<"20010131"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/16 15:41
S69	8	"725"/32-36.ccls. and (vod with (ad or advertisement or commercial)) and @ad<"20010131"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/16 15:54

S70	0	"725"/\$.ccls. and ((limit or threshold) with ((other or additional) near2 (ad or advertisement or commercial))) and @ad<"20010131"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/16 15:53
S71	5	((limit or threshold) with ((other or additional) near2 (ad or advertisement or commercial))) and @ad<"20010131"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/16 15:53
S72	60	"725"/32-36.ccls. and ((point or credit) with (ad or advertisement or commercial)) and @ad<"20010131"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/16 15:54
S73	3	"725"/32-36.ccls. and ((point or credit) with watch\$3 with (ad or advertisement or commercial)) and @ad<"20010131"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/16 15:58
S74	0	"725"/32-36.ccls. and ((point or credit) with (ffd or fast) with (ad or advertisement or commercial)) and @ad<"20010131"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/16 16:00
S75	0	"725"/32-36.ccls. and ((point or credit) with (ff or fast) with (ad or advertisement or commercial)) and @ad<"20010131"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/16 15:59
S76	2	"725"/32-36.ccls. and ((point or credit) with (ffd or fast)) and @ad<"20010131"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/16 15:59
S77	3	"725"/\$.ccls. and ((point or credit) with (ffd or fast) with (ad or advertisement or commercial)) and @ad<"20010131"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/16 16:07
S78	30	"725"/\$.ccls. and (recording with highlighted) and @ad<"20010131"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/16 16:13
S79	0	"725"/\$.ccls. and (recording with highlighted with portion) and @ad<"20010131"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/16 16:08

S80	0	"725"/\$.ccls. and (recording with highlighted with scene) and @ad<"20010131"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/16 16:08
S81	90	"725"/\$.ccls. and (recording near3 portion) and @ad<"20010131"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/16 16:14
S82	16	"725"/\$.ccls. and (recording adj portion) and @ad<"20010131"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/01/16 16:14
S83	43	(threshold) and "725"/32- 36.ccls. and @ad<"20010131"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/27 12:28
S84	382	@ad<"20010118" and 725/32-36.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 10:13
S85	7	@ad<"20010118" and 725/32-36.ccls. and (threshold near3 time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 10:14
S86	5	@ad<"20010118" and "725"/\$.ccls. and (threshold with (ad or advertisement or commercial) with time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 10:16
S87	0	@ad<"20010118" and "725"/\$.ccls. and lowthert. in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 10:20
S88	5	"725"/\$.ccls. and lowthert. in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 10:20
S89	10	("20010042249" "5586264" "5724521" "5774170" "5948061" "6357042" "6698020" "6769127" "6961430" "6971119").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/02/26 10:21

S90	9	@ad<"20010118" and "725"/\$.ccls. and ((threshold with time) same (ad or advertisement or commercial))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 10:24
S91	4	S90 not S86	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 10:24
S92	13	@ad<"20010118" and "725"/32-36.ccls. and (exceed\$4 near3 threshold)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 10:25
S93	0	@ad<"20010118" and "725"/\$.ccls. and (exceed \$4 with threshold with insert\$3 with (ad or advertisement or commercial))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 10:30
S94	2	@ad<"20010118" and "725"/\$.ccls. and (exceed \$4 with threshold with (ad or advertisement or commercial))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 10:30
S95	0	@ad<"20010118" and "725"/\$.ccls. and (threshold with insert\$3 with (ad or advertisement or commercial))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 10:31
S96	0	@ad<"20010118" and "725"/\$.ccls. and (exceed \$4 with time with insert\$3 with (ad or advertisement or commercial))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 10:31
S97	0	@ad<"20010118" and "725"/\$.ccls. and (time with limit with insert\$3 with (ad or advertisement or commercial))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 10:32
S98	1	@ad<"20010118" and "725"/32-36.ccls. and (time with limit with insert \$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 10:32
S99	5	@ad<"20010118" and "725"/32-36.ccls. and (time adj limit)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 10:33

S100	82	@ad<"20010118" and "725"/32-36.ccls. and (time near3 amount)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 10:39
S101	3	@ad<"20010118" and "725"/32-36.ccls. and ((time near3 amount) with (threshold or exceed\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 10:39
S102	114	@ad<"20010118" and "725"/\$.ccls. and ((time with (threshold or amount or limit) same (ad or advertisement or commercial)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 10:43
S103	12	@ad<"20010118" and "725"/\$.ccls. and ((time with (threshold or amount or limit) same ((ad or advertisement or commercial) with insert \$3)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 10:44
S104	364	@ad<"20010118" and "725"/32-36.ccls. and (time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 10:55
S105	235	@ad<"20010118" and "725"/32-36.ccls. and (time with (limit\$4 or threshold\$3 or amount or period))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 10:56
S106	220	@ad<"20010118" and "725"/32-36.ccls. and (time with (limit or threshold or amount or period))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 10:57
S107	205	@ad<"20010118" and "725"/32-36.ccls. and (time near3 (limit or threshold or amount or period))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 10:57
S108	6	@ad<"20010118" and "725"/32-36.ccls. and (time with (exceed\$3) with (limit or threshold or amount or period))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 10:59

S109	6	@ad<"20010118" and "725"/\$.ccls. and ((time with (exceed\$3) with (limit or threshold or amount or period)) same (ad or advertisement or commercial))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 11:03
S110	11	@ad<"20010118" and "725"/32-36.ccls. and (time with (span or period amount) with (threshold or limit))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 11:08
S111	20	@ad<"20010118" and "725"/32-36.ccls. and ((threshold or limit or period or span) with exceed \$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 11:15
S112	271	@ad<"20010118" and "725"/\$.ccls. and (threshold with exceed\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 11:21
S113	8	@ad<"20010118" and "725"/\$.ccls. and ((threshold with exceed\$4) same (ad or advertisement or commercial))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 11:21
S114	0	@ad<"20010118" and "725"/\$.ccls. and lowthert. in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 11:24
S115	5	"725"/\$.ccls. and lowthert. in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 11:24
S116	10	("20010042249" "5586264" "5724521" "5774170" "5948061" "6357042" "6698020" "6769127" "6961430" "6971119").PN. OR ("7263714").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2008/02/26 11:25
S117	4	S116 and threshold\$3	US-PGPUB; USPAT; USOCR	OR	ON	2008/02/26 11:25
S118	0	("2002/0095675").URPN.	USPAT	OR	ON	2008/02/26 11:27
S119	0	("2002/0095675").URPN.	USPAT	OR	ON	2008/02/26 11:28
S120	1	"6029045".pn.	USPAT	OR	ON	2008/02/26 11:30

S121	0	"6029045".pn. and threshold	USPAT	OR	ON	2008/02/26 11:31
S122	1	"6029045".pn. and ((limit or amount) with tim\$3)	USPAT	OR	ON	2008/02/26 11:31
S123	8	@ad<"20010118" and "725"/\$.ccls. and logan.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 11:33
S124	1	@ad<"20010118" and "725"/\$.ccls. and logan.in. and threshold	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 11:33
S125	382	@ad<"20010118" and "725"/32-36.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 11:35
S126	3298449	@ad<"20010118" and "725"/32-36.ccls. (threshold or limit)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 11:36
S127	144	@ad<"20010118" and "725"/32-36.ccls. and (threshold or limit)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 11:36
S128	32	@ad<"20010118" and "725"/32-36.ccls. and ((threshold or limit) with (time or period))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 11:36
S129	2	"7055166".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 11:47
S130	203	@ad<"20010118" and "725"/32-36.ccls. and (interval)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 11:54
S131	58	@ad<"20010118" and "725"/32-36.ccls. and (interval with (insert\$4 or interrupt\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 11:55
S132	0	@ad<"20010118" and "725"/32-36.ccls. and (interval with (insert\$4 or interrupt\$4) with (limit or threshold))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 11:56

S133	14	lowthert.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 13:27
S134	218	@ad<"20010118" and "725"/139.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 13:30
S135	4	@ad<"20010118" and "725"/139.ccls. and (threshold with time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 13:31
S136	40	@ad<"20010118" and "725"/139.ccls. and ((ad or advertisement or commercial) same (time))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 13:32
S137	8	@ad<"20010118" and "725"/139.ccls. and ((ad or advertisement or commercial) same (time with (limit or period)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 13:33
S138	8	@ad<"20010118" and "725"/139.ccls. and ((ad or avail or advertisement or commercial) same (time with (limit or period)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 13:35
S139	36	@ad<"20010118" and "725"/32-36,139.ccls. and ((ad or avail or advertisement or commercial) with time with (between or inbetween))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 14:20
S140	3	@ad<"20010118" and "725"/32-36,139.ccls. and ((ad or avail or advertisement or commercial) with fix\$3 with (interval or period))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 14:35
S141	5	@ad<"20010118" and "725"/32-36,139.ccls. and ((ad or avail or advertisement or commercial) same (fix\$3 with (interval or period)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 14:39
S142	2	S141 not S140	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 14:39

S143	15	@ad<"20010118" and "725"/32-36.ccls. and (fix \$3 with (interval or period))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 14:41
S144	0	@ad<"20010118" and "725"/32-36.ccls. and (preferential)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 14:49
S145	2	@ad<"20010118" and "725"/32-36.ccls. and (preferential)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 14:50
S146	34	@ad<"20010118" and "725"/32-36.ccls. and (preferen\$4 with (time or location))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 14:50
S147	34	S146 not S145	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 14:51
S148	0	@ad<"20010118" and "725"/32-36.ccls. and (preferred with (time or location))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 14:57
S149	23	@ad<"20010118" and "725"/32-36.ccls. and (prefer\$4 with (time or location))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 14:57
S150	8	@ad<"20010118" and "725"/32-36.ccls. and (prefer\$4 near3 (time or location))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 14:57
S151	17	@ad<"20010118" and "725"/32-36.ccls. and (without near3 interrupt\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 15:00
S152	2	@ad<"20010118" and "725"/32-36.ccls. and ((without near3 interrupt \$3) with time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 15:01

S153	15	S151 not S152	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 15:03
S154	0	@ad<"20010118" and "725"/32-36.ccls. and ((without near3 interrupt \$3) with wait\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 15:04
S155	0	@ad<"20010118" and "725"/32-36.ccls. and (without with interrupt\$3 with wait\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 15:04
S156	0	@ad<"20010118" and "725"/32-36.ccls. and ((without or avoid\$3) with interrupt\$3 with delay)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 15:08
S157	21	@ad<"20010118" and "725"/32-36.ccls. and ((without or avoid\$3) with interrupt\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 15:08
S158	0	@ad<"20010118" and "725"/32-36.ccls. and (((without or avoid\$3) with interrupt\$3 with delay\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 15:08
S159	0	@ad<"20010118" and "725"/32-36.ccls. and (((without or avoid\$3) with interrupt\$3) same ((ad or avail or advertisement or commercial) with delay\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 15:09
S160	3	@ad<"20010118" and "725"/32-36.ccls. and (((without or avoid\$3) with interrupt\$3) same ((ad or avail or advertisement or commercial)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 15:09
S161	1	@ad<"20010118" and "725"/32-36.ccls. and (delay\$3 with interrupt\$4 with (ad or avail or advertisement or commercial))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/26 15:13
S162	0	@ad<"20010131" and "725"/\$.ccls. and ((metadata or (meta adj data)) same (search\$3 with (portion or section) with (render\$4 or play\$3)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 09:49

S163	3	@ad<"20010131" and "725"/\$.ccls. and (search \$3 with (portion or section) with (render\$4 or play\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 09:50
S164	10	@ad<"20010131" and "725"/\$.ccls. and ((metadata or (meta adj data)) with access\$3 with (user or subscriber))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 09:52
S165	2	@ad<"20010131" and "725"/\$.ccls. and ((metadata or (meta adj data)) with access\$3 with (user or subscriber)) and (search\$3 with (metadata or (meta adj data)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 09:55
S166	3	@ad<"20010131" and "725"/\$.ccls. and ((metadata or (meta adj data)) with (access\$3 or limit\$4 or restrict\$3) with (user or subscriber)) and (search\$3 with (metadata or (meta adj data)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 09:56
S167	1	S166 not S165	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 09:56
S168	10	S164 not S167	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 09:57
S169	2	"20040073947".pn. and (computer adj readable)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 10:01
S170	0	"20040073947".pn. and (metadata with second with user)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 10:02
S171	0	"20040073947".pn. and (metadata with user)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 10:03

S172	1	"20040073947".pn. and (temporal with location)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 10:08
S173	0	"20040073947".pn. and (search\$3 with comment)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 10:09
S174	1	"6493872".pn. and (time or temporal or timing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 10:14
S175	1	"6493872".pn. and ((time or temporal or timing) with (annotation or addition))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 10:15
S176	4	@ad<"20010131" and "725"/\$.ccls. and (search \$3 with comment)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 10:16
S177	0	@ad<"20010131" and "725"/32-36.ccls. and ((hotspot or (hot adj spot)) with group)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 10:21
S178	0	@ad<"20010131" and "725"/32-36.ccls. and ((hotspot or (hot adj spot)) with (group or set or subset))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 10:21
S179	0	@ad<"20010131" and "725"/32-36.ccls. and ((hotspot or (hot adj spot)) same (group or set or subset))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 10:21
S180	4	@ad<"20010131" and "725"/32-36.ccls. and (hotspot or (hot adj spot)) and ((group or set or subset) with (specific or different))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 10:22
S181	98	@ad<"20010131" and "725"/32-36.ccls. and (url or link) and ((group or set or subset) with (specific or different))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 10:23

S182	9	@ad<"20010131" and "725"/32-36.ccls. and ((url or link) same ((group or set or subset) with (specific or different)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 10:23
S183	23	@ad<"20010131" and "725"/32-36.ccls. and (url and ((group or set or subset) with (specific or different)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 10:25
S184	5	@ad<"20010131" and "725"/32-36.ccls. and (url and ((group or set or subset) with (specific or different) with (insert\$3 or embed\$4)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 10:25
S185	10	@ad<"20010131" and "725"/32-36.ccls. and ((group or set or subset) with (specific or different) with (insert\$3 or embed\$4) with (ad or avail or advail or commercial or advertisement))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 10:27
S186	1	"20040073947".pn. and (comment with available)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 10:32
S187	1	"20040073947".pn. and (comment with particular)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 10:32
S188	1	"20040073947".pn. and (comment with (particular or group))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 10:32
S189	47	@ad<"20010131" and "725"/32-36.ccls. and ((ad or advertisement or commercial or avail or advail) with different with (time or timing or temporal))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 10:51
S190	17	@ad<"20010131" and "725"/32-36.ccls. and ((ad or advertisement or commercial or avail or advail) with different with (time or timing or temporal) with "same")	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 10:51

S191	0	@ad<"20010131" and "725"/32-36.ccls. and ((vod or nvod or demand) with (ad or advail or avail or commercial or advertisement) with (insert \$3 or embed\$4) with (hotspot or (hot adj spot)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 10:58
S192	9	@ad<"20010131" and "725"/32-36.ccls. and ((vod or nvod or demand) with (hotspot or (hot adj spot) ad or advail or avail or commercial or advertisement) with (insert \$3 or embed\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 10:59
S193	2	@ad<"20010131" and "725"/32-36.ccls. and ((ad or advail or avail or commercial or advertisement) with (insert \$3 or embed\$4)) and (vod or nvod or demand) and (hotspot or (hot adj spot)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 11:00
S194	1	"20040073947".pn. and (synchronization with version)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/17 11:01
S195	2	"20040073947".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/15 10:57
S196	2	"20040073947".pn. and (computer with readable)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/07/15 12:03
S197	7	@ad<"20010118" and "725"/\$.ccls. and (comment \$3 with search\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/30 13:02
S198	0	@ad<"20010118" and "725"/\$.ccls. and (comment \$3 with (access\$3 near2 right))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/30 13:29
S199	9	@ad<"20010118" and (comment\$3 with (access \$3 near2 right))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/30 13:29

S200	8	@ad<"20010118" and (comment with (access\$3 near2 right))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/30 13:32
S201	78	@ad<"20010118" and (comment with set\$4 with (password or list\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/30 13:33
S202	6	@ad<"20010118" and (comment with set\$4 with list with (user or viewer or subscriber))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/30 13:34
S203	1	@ad<"20010118" and "725"/\$.ccls. and (comment with protect\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/30 13:36
S204	9	@ad<"20010118" and (comment near2 protect \$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/30 13:37
S205	0	@ad<"20010118" and "725"/\$.ccls. and (comment with (sync or synchroniz\$5) with (point or time or timing))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/30 13:40
S206	1	@ad<"20010118" and (comment with (sync or synchroniz\$5) with (point or time or timing))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/30 13:40
S207	1	@ad<"20010118" and (comment with (sync or synchroniz\$5) with (point or time or timing or offset\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/30 13:41
S208	12	@ad<"20010118" and (comment with (sync or synchroniz\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/30 13:42
S209	1	@ad<"20010118" and "725"/\$.ccls. and (comment with (sync or synchroniz\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/30 13:42

S210	177	@ad<"20010118" and (comment\$3 near2 (sync \$3 or synchroniz\$5 or link \$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/30 13:45
S211	6	@ad<"20010118" and "725"/.ccls. and (comment \$3 near2 (sync\$3 or synchroniz\$5 or link\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/30 13:45
S212	7	@ad<"20010118" and "725"/.ccls. and ((access\$3 near2 right) with fee)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/30 13:51
S213	0	@ad<"20010118" and "725"/.ccls. and ((access\$3 near2 right) with fee with (meta or metadata))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/30 13:52
S214	0	@ad<"20010118" and ((access\$3 near2 right) with fee with (meta or metadata))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/30 13:52
S215	8	@ad<"20010118" and ((access\$3 near2 right) with (fee or cost or price) with (meta or metadata))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/30 13:53
S216	0	@ad<"20010118" and "725"/\$.ccls. and ((access \$3 near2 right) with (fee or cost or price) with (meta or metadata))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/30 13:53
S217	0	@ad<"20010118" and (((access\$3 near2 right) with fee) same (meta or metadata))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/30 13:54
S218	0	@ad<"20010118" and (((access\$3 near2 right) with (fee or pay or paying or payed)) same (meta or metadata))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/30 13:54
S219	0	@ad<"20010118" and (((access\$3 near2 right) with (fee or pay or paying or payed)) same (meta or metadata or comment))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/30 13:54

S220	3	@ad<"20010118" and (((access\$3 near2 right) with (fee or pay or paying or payed)) same (meta or metadata or comment\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/30 13:54
S221	7	@ad<"20010118" and "725"/\$.ccls. and ((content or program\$4) with (meta or metadata) with (separat \$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/30 13:56
S222	4	@ad<"20010118" and "725"/\$.ccls. and ((meta or metadata) with (separat \$4) with receiv\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/30 14:01
S223	27	@ad<"20010118" and ((meta or metadata) with (separat\$4) with receiv\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/30 14:03
S224	0	@ad<"20010118" and "725"/\$.ccls. and ((comment\$3) with (separat\$4) with receiv\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/30 14:07
S225	7	@ad<"20010118" and ((comment\$3) with (separat\$4) with receiv\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/30 14:07
S226	4	@ad<"20010118" and "725"/\$.ccls. and ((meta or metadata) near2 separat \$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/30 14:09
S227	0	@ad<"20010118" and "725"/\$.ccls. and comment \$3 and (version with live with (recorded or prerecorded))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/30 14:11
S228	36	@ad<"20010118" and "725"/\$.ccls. and comment \$3 and (live with (recorded or prerecorded))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/30 14:11
S229	2	@ad<"20010118" and "725"/\$.ccls. and (comment \$3 same (live with (recorded or prerecorded)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/30 14:12

S230	6	@ad<"20010118" and "725"/\$.ccls. and ((comment\$3 or meta or metadata) same (live with (recorded or prerecorded)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/30 14:13
S231	0	@ad<"20010118" and "725"/\$.ccls. and ((comment\$3 or meta or metadata) same (initial\$4 with rerun\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/30 14:15
S232	0	@ad<"20010118" and "725"/\$.ccls. and (comment \$3 or meta or metadata) and (initial\$4 with rerun\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/30 14:15
S233	7	@ad<"20010118" and (comment\$3 or meta or metadata) and (initial\$4 with rerun\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/30 14:15
S234	1	@ad<"20010118" and "725"/\$.ccls. and (initial\$4 with rerun\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/30 14:17
S235	0	@ad<"20010118" and "725"/\$.ccls. and (live with (version or different) with rerun\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/30 14:18
S236	2	@ad<"20010118" and "725"/\$.ccls. and (live with (version or different) with (rerun\$4 or replay\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/30 14:18
S237	0	@ad<"20010118" and "725"/\$.ccls. and ((comment\$3 or meta or metadata) same (live with (rerun\$4 or replay\$3)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/30 14:19
S238	1	@ad<"20010118" and ((comment\$3 or meta or metadata) same (live with (rerun\$4 or replay\$3)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/30 14:19
S239	41	@ad<"20010118" and ((comment\$3 or meta or metadata) with different with version)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/30 14:21

S240	1	@ad<"20010118" and "725"/\$.ccls. and ((comment\$3 or meta or metadata) with different with version)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/30 14:21
S241	41	@ad<"20010118" and ((comment\$3 or meta or metadata) with different with version)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/30 14:21
S242	15	@ad<"20010118" and ((comment\$3) with different with version)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/30 14:22
S243	151	@ad<"20010118" and 725/32-36.ccls. and (search \$3 or quer\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/30 14:30
S244	7	@ad<"20010118" and 725/32-36.ccls. and ((search\$3 or quer\$5) with (embed\$4 or insert\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/30 14:30
S245	16	@ad<"20010118" and "725"/\$.ccls. and ((search \$3 or quer\$5) with (embed \$4 or insert\$3) with (ad or advail or avail or advertisement or commerical))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/30 14:32
S246	6	@ad<"20010118" and ((search\$3 or quer\$5) with result with (embed\$4 or insert\$3) with (ad or advail or avail or advertisement or commerical))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/30 14:34
S247	0	@ad<"20010118" and "725"/\$.ccls. and ((initial adj broadcast\$3) with (recorded or prerecorded or rerun\$4 or reran or replay\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/30 14:38
S248	4	@ad<"20010118" and ((initial adj broadcast\$3) with (recorded or prerecorded or rerun\$4 or reran or replay\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/10/30 14:38
S249	2	"20040073947".pn. and ((method or device) with (logic or unit or module or software or wave or signal or program))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/11/05 08:01

S250	0	@ad<"20010118" and "725"/\$.ccls. and ((comment or question) with (search\$3 or query\$3) with render\$4 with (portion or segment))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/12 11:40
S251	2	@ad<"20010118" and ((comment or question) with (search\$3 or query\$3) with render\$4 with (portion or segment))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/12 11:41
S252	1	@ad<"20010118" and "725"/\$.ccls. and ((comment or question) with (search\$3 or query\$3) with (render\$4 or record\$3 or play\$3 or view\$3 or replay) with (portion or segment))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/12 11:42
S253	13	@ad<"20010118" and ((comment or question) with (search\$3 or query\$3) with (render\$4 or record\$3 or play\$3 or view\$3 or replay) with (portion or segment))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/12 11:42
S254	11	@ad<"20010118" and "725"/\$.ccls. and ((comment or question) with (search\$3 or query\$3) with (render\$4 or record\$3 or play\$3 or view\$3 or replay))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/12 11:46
S255	40	@ad<"20010118" and "725"/\$.ccls. and ((comment or question) with (search\$3 or query\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/12 11:47
S256	17	@ad<"20010118" and "725"/\$.ccls. and ((comment or question) near2 (search\$3 or query\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/12 11:49
S257	1	"20040073947".pn. and (computing adj device)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/14 08:44
S258	2	"20040073947".pn. and (computer adj readable)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/04/14 08:46

4/26/2010 2:51:29 PM

**C:\ Documents and Settings\ jshepard\ My Documents\ EAST\ Workspaces\ comments_09775393.
wsp**